


VPH 2-1500 Screening Bucket

VPH 2-1500 is a popular screening bucket model designed especially for skid steer loaders and small excavators. This versatile screening bucket is excellent for screening and processing various types of materials.



Specifications

Base Machine

Excavator: 8,000 - 10,000 kg
(18,000 - 22,000 lbs)

Wheel loader: 4,000 - 7,000 kg
(8,800 - 15,000 lbs)

Flow Rate

Oil Flow min – max: 40 - 100 l /min
(11 - 26 gal /min)

Pressure

Oil Pressure: 210 bar (3,000 psi)

Volume

ISO/SAE: 0,6 — 0,7 m³ (0.78 - 0.92 yd³)
Screen area: 0,6 m² (6.5 ft²)

Dimensions

Height: 850 mm (33.0 in)
Width: 1,620 mm (63 4/5 in)
Depth: 1,050 mm (41 3/10 in)

Weight

Without accessories: 690 kg (1,500 lbs)

Additional notes:

- Product Name: VP = Viper; H = Horizontal axles, V = Vertical axles; first number = number of axles, second number = axle length in mm.
- Base machine weight recommendations are suggestive. Check the suitable tipping load from the base machine user manual.
- Hydraulic flow values are indicative. Always verify the correct values for the application from the manufacturer.
- Product weight is based on a bucket without any additional equipment. Blade spacing and blade thickness may affect the weight.
- The oil pressure values are indicative. Always verify the correct values for the application from the manufacturer.
- Changes to document information without prior notice are reserved.

VIPER METAL
Efficiency With Finnish Excellence