

VPH 2-700 Screening Bucket

The Vipermetal 2-700 is the little giant of our screening bucket series. Perfectly suited for use with compact loaders and mini excavators, ideal for tasks like soil screening.



Specifications

Base Machine

Excavator: 3 500 - 7 000 kg
(7,700 - 15,000 lbs)

Wheel loader: 2 000 - 3 000 kg
(4,400 - 6,600 lbs)

Flow Rate

Oil Flow min – max: 40 - 70 l /min
(11 - 18 gal /min)

Pressure

Oil Pressure: 180 bar (2,600 psi)

Volume


ISO/SAE: 0,15 - 0,19 m³ (0.2 - 0.25 yd³)
Screen area: 0,3 m² (3.2 ft²)

Dimensions

Height: 760 mm (30.0 in)
Width: 910 mm (36.0 in)
Depth: 800 mm (31.0 in)

Weight

Without accessories: 280 kg (620 lbs)



Additional notes:

- Product Name: VP = Viper; H = Horizontal axles, V = Vertical axles; first number = number of axles, second number = axle length in mm.
- Base machine weight recommendations are suggestive. Check the suitable tipping load from the base machine user manual.
- Hydraulic flow values are indicative. Always verify the correct values for the application from the manufacturer.
- Product weight is based on a bucket without any additional equipment. Blade spacing and blade thickness may affect the weight.
- The oil pressure values are indicative. Always verify the correct values for the application from the manufacturer.
- Changes to document information without prior notice are reserved.

VIPER METAL
Efficiency With Finnish Excellence