


VPH 4-1700 Screening Bucket

VPH 4-1700 is the big brother of the 3-1700 screening bucket model with four horizontal rotors for larger machine sizes. There are also several customized versions available for screening and crushing based on specific use cases.



Specifications

Base Machine

Excavator: 24,000 - 35,000 kg
(53,000 - 77,000 lbs)

Wheel loader: 14,000 - 20,000 kg
(31,000 - 44,000 lbs)

Flow Rate

Oil Flow min – max: 200 - 360 l/min
(53 - 95 gal/min)

Pressure

Oil Pressure: 210/250 bar (3,000/3,600 psi)

Volume

ISO/SAE: 2.7 - 3 m³ (3.5 - 3.9 yd³)
Screen area: 1.6 m² (17 ft²)

Dimensions

Height: 1,700 mm (67.0 in)
Width: 2,050 mm (80 7/10 in)
Depth: 1,950 mm (76 4/5 in)

Weight

Without accessories: 2,750 kg (6,060 lbs)

Additional notes:

- Product Name: VP = Viper; H = Horizontal axles, V = Vertical axles; first number = number of axles, second number = axle length in mm.
- Base machine weight recommendations are suggestive. Check the suitable tipping load from the base machine user manual.
- Hydraulic flow values are indicative. Always verify the correct values for the application from the manufacturer.
- Product weight is based on a bucket without any additional equipment. Blade spacing and blade thickness may affect the weight.
- The oil pressure values are indicative. Always verify the correct values for the application from the manufacturer.
- Changes to document information without prior notice are reserved.

VIPER METAL
Efficiency With Finnish Excellence